

1. CHOOSE YOUR STYLE

SQUARE CLOCKS



black back case

white back case

ROUND METAL CLOCKS



low-profile metal case

ROUND SLIMLINE CLOCKS




slimline abs case

brushed aluminum finish

solid cherry wood finish

2.CHOOSE YOUR SIZE


SQUARE CLOCKS



9" (22.86cm)

12" (30.48 cm)


ROUND METAL CLOCKS



12" (30.48 cm)

16" (40.64 cm)

ROUND SLIMLINE CLOCKS





9" (22.86cm)

12" (30.48 cm)


16" (40.64 cm)

3.CHOOOSE YOUR DIAL & HANDS

DIALS




dial a




dial b




dial c




dial d



dial e



dial f




dial g




dial z


HANDS



specialty hands
style 1







specialty hands
style 2



specialty hands
style 3

SQUARE DIMENSIONS

SQUARE CLOCKS







Clock Size:

Square	
9" Standard	12" Standard
W = 9.79" (24.9cm)	W = 12.76" (32.4cm)
W2 = 8.97" (22.8cm)	W2 = 11.94" (30.3cm)
D = 2.44" (6.2cm)	D = 2.44" (6.2cm)
D2 = 1.34" (3.4cm)	D2 = 1.34" (3.4cm)
Shipping Weight:	
3.0lbs (1.36kg)	4.0lbs (1.81kg)
Double/Dual Mount Dimensions:	
W3 = 6.56" (16.7cm)	W3 = 6.56" (16.7cm)
D3 = 4.93" (12.5cm)	D3 = 4.93" (12.5cm)
Adjustable Pole Height for standard pole:	
L = 18.32" (46.5cm)	L = 21.12" (53.6cm)
	L = 19.35" (49.1cm)
Shortened Pole Height:	
L = 12.38" (31.4cm)	L = 15.50" (39.3cm)

ROUND DIMENSIONS

ROUND METAL CLOCKS



Clock Size:

Shipping Weight:





Double/Dual
Mount Dimensions:

Adjustable
Pole Height:

Metal	
12" Standard	16" Standard
W = 12.75" (32.4cm)	W = 16.75" (42.6cm)
W2 = 11.80" (30.0cm)	W2 = 15.75" (40.0cm)
D = 2.44" (6.2cm)	D = 2.50" (6.4cm)
D2 = 1.45" (3.7cm)	D2 = 1.60" (4.1cm)
4.0lbs (1.81kg)	6.0lbs (2.72kg)
W3 = 6.56" (16.7cm)	W3 = 6.56" (16.7cm)
D3 = 6.86" (17.5cm)	D3 = 8.00" (20.3cm)
H = 19.69" (50.0cm)	H = 21.90" (55.6cm)
= 18.07" (45.9cm)	= 20.20" (51.3cm)
= 16.45" (41.8cm)	= 18.56" (47.1cm)

ROUND DIMENSIONS

ROUND SLIMLINE CLOCKS



SlimLine ABS

Clock Size:	9" SlimLine W = 9.8" (24.8cm) W2 = 9.5" (24.2cm) D = 2.4" (6.2cm) D2 = 1.7" (4.2cm)	12" SlimLine W = 12.9" (32.7cm) W2 = 12.6" (32.0cm) D = 2.4" (6.2cm) D2 = 1.7" (4.3cm)	16" SlimLine W = 16.7" (42.3cm) W2 = 16.3" (41.5cm) D = 2.5" (6.4cm) D2 = 1.7" (4.4cm)
Shipping Weight:	2 lbs (0.9 kg)	2 lbs (0.9 kg)	4 lbs (1.8 kg)
Double/Dual Mount Dimensions:	Not Applicable	W3 = 6.6" (16.7cm) D3 = 6.4" (16.2cm)	W3 = 6.6" (16.7cm) D3 = 6.4" (16.3cm)
Adjustable Pole Height:	Not Applicable	H = 19.7" (50.2cm) = 18.1" (46.1cm) = 16.5" (41.9cm)	H = 21.7" (55.3cm) = 20.1" (51.2cm) = 18.5" (47.0cm)

Aluminum

Clock Size:	9" Aluminum W = 10.7" (27.1cm) W2 = 9.5" (24.2cm) D = 2.4" (6.2cm) D2 = 1.7" (4.2cm)	12" Aluminum W = 13.8" (35.0cm) W2 = 12.6" (32.0cm) D = 2.4" (6.2cm) D2 = 1.7" (4.4cm)	16" Aluminum W = 17.8" (45.1cm) W2 = 16.3" (41.5cm) D = 2.5" (6.4cm) D2 = 1.7" (4.4cm)
Shipping Weight:	2 lbs (0.9kg)	3 lbs (1.4 kg)	4 lbs (1.8 kg)
Double/Dual Mount Dimensions:	Not Applicable	W3 = 6.6" (16.7cm) D3 = 6.4" (16.2cm)	W3 = 6.6" (16.7cm) D3 = 6.4" (16.3cm)
Adjustable Pole Height:	Not Applicable	H = 20.2" (51.5cm) = 18.6" (47.3cm) = 17.0" (43.2cm)	H = 22.3" (56.6cm) = 20.6" (52.4cm) = 19.0" (48.2cm)

Wood

Clock Size:	9" Wood W = 11.6" (29.5cm) W2 = 9.5" (24.2cm) D* = 2.4" (6.2cm) D2* = 2.7" (6.8cm)	12" Wood W = 13.3" (33.8cm) W2 = 12.6" (32.0cm) D* = 2.4" (6.2cm) D2* = 2.7" (6.8cm)	16" Wood W = 19.6" (49.9cm) W2 = 16.5" (41.5cm) D* = 2.4" (6.4cm) D2* = 2.7" (6.8cm)
Shipping Weight:	3 lbs (kg)	4 lbs (1.8 kg)	6 lbs (2.7 kg)
Double/Dual Mount Dimensions:	Not Applicable	Not Applicable	Not Applicable
Adjustable Pole Height:	Not Applicable	Not Applicable	Not Applicable

* For wood clocks, the rim (D2) protrudes further from the wall than the crystal (D).

4. CHOOSE YOUR MOUNTING

SURFACE/WALL MOUNT



surface/wall mount square

surface/wall mount round

DOUBLE MOUNT



double mount wall mount

double mount ceiling mount

FLAG MOUNT



flag mount ceiling mount

flag mount wall mount

ANALOG CLOCK OPTIONS

		ROUND METAL	ROUND SLIMLINE			SQUARE
			ABS	Aluminum	Wood	
CLOCK SYSTEM	IP/PoE	•	•	•	•	•
	Wired	•	•	•	•	•
	Wireless		•	•	•	•
	TalkBack		•	•	•	•
	WiFi		•	•	•	•
	Zone Clock		•	•		•
CLOCK SIZE	9"		•	•	•	•
	12"	•	•	•	•	•
	16"	•	•	•	•	
CASE	Black Case	•	•			•
	White Case					•
	Brushed Aluminum			•		
	Wood				•	
DOUBLE MOUNT HOUSING	SAB-4BD-12R-0M	•*				
	SAB-4BD-16R-0M	•**				
	SAH-1BD-12R-0		•*	•*		
	SAH-1BD-16R-0		•**	•**		
	SAB-1BD-00S-0+ standard length					•
	SAB-1BD-01S-0+ short length					•

* for 12" clocks
** for 16" clocks
‡ SAB-1BD-00S-0 is available for ceiling or wall mount, SAB-1BD-01S-0 is available for ceiling mount only

ANALOG CLOCK OPTIONS

		ROUND METAL	ROUND SLIMLINE			SQUARE
			ABS	Aluminum	Wood	
FLAG MOUNT HOUSING	A-MOUNT-12S-2 and SAB-1BD-00S-0	● *				
	A-MOUNT-16S-2 and SAB-1BD-00S-0	● **				
	A-SLM-MOUNT-12S-0 and SAB-1BD-00S-0		● *	● *		
	A-SLM-MOUNT-16S-0 and SAB-1BD-00S-0		● **	● **		
	SAB-1BD-00S-0‡ standard length					●
	SAB-1BD-01S-0‡ short length					●
TAMPER PROOF	SAG-1200 wireguard	●	●	●		●
	SAG-CLR-COVR-12 clear cover	● *	● *†	● †	● †	●
	SAG-CLR-COVR-16 clear cover	● **	● **	● *	● *	
MISC.	UL Listed	●	●	●	●	●

* for 12" clocks

** for 16" clocks

† for 9" clocks

‡ SAB-1BD-00S-0 is available for ceiling or wall mount, SAB-1BD-01S-0 is available for ceiling mount only

OFFICE: 670 Louis Drive, Warminster
Pennsylvania 18974, USA

PHONE: +1.215.322.6063

FAX: +1.215.322.8498

WEBSITE: www.sapling-inc.com

EMAIL: info@sapling-inc.com

*SAPLING - a global leader in engineering & manufacturing
quality synchronized clock systems since 1993*



DON'T FORGET TO CHECK OUT

SAPLING DIGITAL CLOCKS



Sapling offers a variety of digital clock options to choose from. Please be sure to check out our Digital Clock Options brochure.

SAPLING TIME ZONE CLOCKS



Sapling offers time zone clocks featuring analog clocks, digital clocks, or a mix of both. Please be sure to check out our Time Zone Clock Options brochure.

SAPLING SYSTEMS



Sapling offers multiple systems to meet any facility's needs. Please be sure to check out our System Options brochure.

SAPLING ANALOG CLOCK OPTIONS

