

TalkBack Network Repeater (V2.2)

Features:

- Receives time data from any Sapling Master Clock via TCP/IP over a wired LAN and then transmits the signal to the Sapling TalkBack Wireless Secondary Clocks
- Relays important secondary clock diagnostic information to the master clock, such as:
 - Battery level
 - Signal strength
 - Mechanical and/or display status
 - And more!
- Email alerts for restarts & loss of communication with the master clock
- Ideal for installations in multiple buildings or campus environments
- Operates on either the 900 MHz or 2.4 GHz frequency range, depending on the model
 - No FCC or special operating license required
- Utilizes frequency-hopping technology
- Powerful 1 Watt Transmitter
 - Transmits up to 1000 meters in open space
- Slim design makes the Network Repeater versatile for mounting
- FCC compliant, part 15, section 15.247
- Designed and Produced by Sapling Inc. in Pennsylvania, United States of America



specification sheets may change without prior notice

TalkBack Network Repeater (V2.2)

Specifications:

Color:

Black

Housing:

Smooth surface metal enclosure

Mounting:

Wall mount

Weight:

4 lbs. (1.81kg)

Antenna Length:

7" (17.78 cm)

Housing Dimensions (LxWxD):

11" x 8" x 1.7" (with bottom cover)

27.94 cm x 20.32 cm x 4.32 cm

Input voltage:

85 - 230 Volts AC

Input:

RJ45

RF Signal Output:

30 dBm (1 watt)

Transmission Frequency:

Either 900 MHz or 2.4 Ghz Frequency Hopping Technology

Temperature Range:

Operating: 0°C - 50°C

Storage: -15°C - 70°C

Compliance:

FCC compliant, part 15, section 15,247

Ordering Information:

TalkBack Network Repeater: SMA-4SM-X000-1

Frequency:
O: 915-928 MHz
G: 2.4 GHz